

Diagnostic Specimen Commercial Invoice

EXEMPT HUMAN SPECIMEN

Shipper:

Company Name: _____
 Contact Name: _____
 Address: _____
 City/Postal Code: _____
 Country: _____
 Tel/Fax No: _____
 FDA Establishment License: N/A



Ultimate Consignee:

Company Name: DiagnosTechs, Inc.
 Contact Name: Ning Cegielska, Director
 Address: 840 South 333rd Street
 City/Postal Code: Federal Way, Washington, 98003
 Country: USA
 Tel/Fax No: 800-878-3787
 FDA Establishment License: CLIA #50D0630141

Importer of Record (if different from consignee):

Company Name: _____
 Contact Name: _____
 Address: _____
 City/Postal Code: _____
 Country: _____
 Tel/Fax No: _____
 FDA Establishment License: _____
 IRS Number: _____

Number of Cartons	Itemized Detailed Description:	Qty.	Unit(s) of Measure	Unit Value (USD)	Subtotal (USD)
	Exempt Human Specimens contained in medical vial receptacles to be used for clinical research purposes. Packaged in accordance with U.S. Postal and IATA Packing Instructions. The contents above do not contain any animal products nor are they of tissue culture origin. The goods referenced above are Non-Hazardous, Non-Infectious and are NOT subject to TSCA or FDA. Harmonized System code: 3002.90.90 Total Gross Kg. Weight: _____ Total Net Kg. Weight: _____ The saliva and preserved stool specimen are collected and shipped in compliance with the US Postal regulations and are considered non-infectious and non-biohazard per DMM601.10.173			N/A	N/A
Total Pieces					

Total \$ Value _____

I/We hereby certify that the information on this invoice is true and correct, and the contents of this shipment are as stated above.

Signature: _____

Country of Origin (export): _____

Title : _____

Date of Export: _____

Airwaybill #: _____



CLINICAL & RESEARCH LABORATORY

RE: All shipments to DiagnosTechs, Inc.

Shipment #:

ATTN:

FAX:

To Whom It May Concern:

Please be advised that any test kits sent by your hospital, clinic or company to DiagnosTechs, Inc. are considered as exempt human specimens and are unlikely to contain infectious substances or cause disease in humans.

When the sample tubes are packaged according to the instructions, each kit contains HUMAN SALIVA AND/OR PRESERVED STOOL SPECIMENS AND/OR URINE SPECIMENS in triple-sealed containers. The packaging system meets the guidelines of the United States Postal Service and International Air Transport Association (IATA). Harmonized System (HS) code: 3002.90.90.

Samples received from physicians or patients from outside the United States are for medical testing and diagnostic purposes only. Samples must be shipped according to our instructions to arrive at the laboratory within the stability period of the test(s).

DiagnosTechs, Inc is a CLIA licensed laboratory and maintains a 35-year record of superior performance during accreditation inspections. Presently the laboratory is accredited by the Joint Commission (the largest private U.S. accreditation agency) and licensed by the Washington State Department of Health.

If you have further questions, please don't hesitate to call.

Sincerely,

Ning Cegielska

Director, Laboratory Operations